

<b>ELASTOMER FAMILY</b>	<b>ASTM Abbreviation</b>	<b>ARP 5316 Recommended Shelf Life</b>
Aflas®		Unlimited
Butyl rubber, Isobutylene isoprene	IIR	Unlimited
Chloroprene (Neoprene®)	CR	15 Years
Epichlorohydrin (Hydrin®)	ECO	NA
Ethylene Acrylic (Vamac®)	AEM	15 Years
Ethylene Propylene (EP or EPDM)	EP	Unlimited
Fluorocarbon (Viton®)	FKM	Unlimited
Fluorosilicone	FVQM	Unlimited
Hydrogenated Nitrile, (HNBR or HSN)	HNBR	15 Years
Nitrile (Buna-N or NBR)	NBR	15 Years
Polyacrylate	ACM	15 Years
Polyurethane (Polyester or Polyether)	AU / EU	5 Years
Silicone	VQM	Unlimited
Styrene Butadiene (Buna-S)	SBR	15 Years
Elastomer Family Perfluorinated Elastomer	FFKM	Unlimited

Note: The data shown here are shown as an engineering guide only and should not be used for the purpose of establishing performance limits. These values were obtained using established standard test procedures and are believed to be reliable. However, due to the variables that may be encountered in actual use, it is always advisable to test the material under actual service conditions before specification.